

<u>Overview</u>


- Site background refresher (history + 2012 remediation)
- Summary of October 2014 sampling approach + results
- Presentation of cleanup levels
- Attribution to Site
- Removal Eligibility
- Next steps

<u>SITE</u>

- 4.17 ac
- Owned by DPR
- Park is 58 acres


RESIDENCES (ca. 2008) - + DAYCARE

Brooklyn 1.5 mi E



RED HOOK PARK Fields





SITE HISTORY


Late '20s – late '30s: Smelting on-site

- 1922: Delevan Smelting & Refining Works was incorporated, Site still undeveloped 1924
- 1929: Delevan Smelting & Refining Works on-site
- 1931-late 1930s: Columbia Smelting & Refining Works
- 14,000 sf building with 8 furnaces
- 1939-1940: Building demolished, block is vacant

Columbia Smelting & Refining


- Manufactured: soft lead, antimonial lead, Babbitts, solder, type metals, terse metal, Britannia metal, die-cast metal, unbreakable metal and rerun zinc
- <u>Consumed</u>: pig percentage metal, cable lead, battery plates, soft lead, type metals, Babbitt, joists, pewter and dresses
- <u>Dealt in</u>: pig tin, pig lead, copper, antimony, aluminum, spelter, scrap metals and residues

1940 onward – undeveloped & baseball diamond



BARE SOIL

PLAYGROUNDS



Brooklyn 1.5 mi E

6

Site block from southeast.





Site where former smelter building was located.





Looking north from the Site's baseball diamond.






On-site soil outside the baseball field.





Bare soil in Red Hook Park to south (downwind) of Site.







Residences & soil across street from Site.





Playground in Red Hook Houses





USA Today 2012 Sampling (XRF + lab)

- "6 of 8 samples collected from ball fields had elevated lead levels"
 - 4 of the 6 had >2,000 ppm lead
 - Data posted online shows 9 of 19 results >400 ppm
 - All 4 lab results exceed 400ppm

Soil Test Results: Fields in Red Hook Park

Total Tests: 19 Highest Result: 2236

	Sample Result (ppm)*	Type of test
Property 1	240	XRF
	323	XRF
	<mark>483</mark>	XRF
	<mark>728</mark>	<mark>Lab</mark>
	<mark>1314</mark>	XRF
	<mark>2116</mark>	XRF
	58	XRF
	237	XRF
	<mark>2027</mark>	XRF
	<mark>1666</mark>	<mark>Lab</mark>
	<mark>2236</mark>	<mark>Lab</mark>
	<mark>2067</mark>	<mark>Lab</mark>
	123	XRF
	271	XRF
	263	XRF
	188	XRF
	95	XRF
	48	XRF
	144	XRF

USA Today 2012 Sampling (XRF + lab)

- Red Hook Houses: 6 of 16 results exceeded 400 ppm
 - 3 lab results + 3 XRF readings

Soil Test Results:

Red Hook Houses courtyards and open spaces

Total Tests: 16 Highest Result: 953

	Sample Result (ppm)*	Type of test
Property 1	87	XRF
	<mark>719</mark>	XRF
	390	XRF
	<mark>647</mark>	Lab
	59	XRF
	145	XRF
	50	XRF
	<mark>839</mark>	XRF
	<mark>450</mark>	XRF
	<mark>953</mark>	Lab
	<mark>476</mark>	Lab
	391	XRF
	80	XRF
	181	XRF
	257	XRF
	255	Lab

Department of Parks & Recreation

- To confirm USA Today sampling
- <u>February 28</u>: 9 samples collected
 - Surface upper 6" of soil
 - 6 of 9 exceeded 400 ppm for lead

Sample #	Location	Description	Laboratory Results Pb (Dry)(mg /kg)	RL Dry (mg/kg)
F7-1	Ball Field # 7/Northwest Corner of Ball Field (Lorraine & Hicks Street)	Surface Soil	64.3	10.5
F6-2	Ball Field # 6 / Northwest Corner of Ball Field (Hicks & Bay Street)	Surface Soil	584	10.4
F5-8	Ball Field # 5 / Middle of Ball Field # 5	Surface Soil	1600	13.0
FC-4	Center of Four Ball Fields	Surface Soil	. 999	16.5
F8-5	Outside of Ball Field # 8 / North Middle of Ball Field/By Lorraine Street/Between Sidewalk & Fences	Surface Soil	1120	11.9
F58-6	Ball Field # 5 & # 8/East Middle of Ball Field # 5 & # 8	Surface Soil	2080	11.2
F5-7	Ball Field # 5 Henry Street Side/South East of Ball Field (Henry & Bay Street)	Surface Soil	119	11.4
F5-8	Red Hook Synthetic Field by Court & Bay Streets/Outside Synthetic Field North End Middle	Surface Soil	447	11.3
F5-9	Red Hook Synthetic Field by Court & Bay Streets/Bay Street Sidewalk & Walk Path/Middle	Surface Soil	177	12.0

Analysis by : Flame AAS

Method of Analysis: EPA 7000B, EPA/SW 846-3050B

MDL: 2.74 mg/kg

RL: 10 mg/kg

Date Received:

eived: 02/28/12 nalysis: 02/29/12

Date of Analysis : Date of Report:

03/02/12

KDIOTE TOUT PERE > HEU FROM HEGISSEDII ATOS

Red Hook Recreation Area

Halleck St., Bush St. bet. Otsego St. and Court St.


Directions: Google Maps | MTA Trip Planner

Acres: 58.50

Red Hook Recreation Center hours and programmin

Map Tip: Zoom in if facilities are not visible.

Corrected Locations of Samples on February 28,3




Department of Parks & Recreation


- **February/March:** DPR added 1" infield material added to each infield
- March 15: 6 confirmatory samples collected
 - 4 from newly-placed infield material
 - Low lead levels
 - 2 at 2" bgs (to confirm result of 584 ppm)
 - Both >2,000 ppm lead

Red Hook Recreation Area

Halleck St., Bush St. bet. Otsego St. and Court St.

Map Tip: Zoom in if facilities are not visible.





2012 REMEDIATION

Department of Parks & Recreation (with NYC DOHMH)


- March: 4,500 lbs soil excavated, 50 sf area with high lead level excavated & paved over.
- March 20: 1 surface soil sample for disposal purposes
 - 812 ppm lead, 1.96 ppm cadmium
 - Not analyzed for antimony, tin, zinc
 - No VOCs; some SVOCs under RML
- March 23: Park closed for 4-6 weeks for hydroseeding (plug aeration) and grass growth
 - Wood chips added to bare soil areas
 - No post-remediation sampling



CURRENT EPA INVESTIGATION

- Pre-remedial; October 15-16
 - Results November 26
- 16 locations
- Maximium 2' depth; 5 intervals
 - 0-1"
 - 1-6"
 - 6-12"
 - 12-18"
 - 18-24"
- Total: 82 samples
- TAL metals + tin





Legend

CLEANUP NUMBERS

Superfund Lead-Contaminated Residential Sites Handbook (Aug. 2003):

1.3 DEFINITION AND PURPOSE


Residential properties are defined in the Handbook as any area with high accessibility to sensitive populations, and includes properties containing single- and multi-family dwellings, apartment complexes, vacant lots in residential areas, schools, day-care centers, community centers, playgrounds, parks, green ways, and any other areas where children may be exposed to site-related contaminated media (EPA, 1996a, 1997a, 1998a). This document defines sensitive populations as young children (those under

• Risk Assessor (0-6 year old, 72 days/year for 2 hours/day):

Chemical	Risk-based PRG: Ball Player (10-6 Cancer Risk; HI 1) mg/kg	Risk-based PRG: Residential (10-6 Cancer Risk; HI 1) mg/kg	NYS SCO Unrestricted mg/kg	NYS SCO Residential and Restricted- Residential mg/kg
Antimony (metallic)	150 nc	30 nc	na	na
Arsenic, Inorganic	2.4 c*	0.67 c*	13	16
Iron	260000 nc	55000 nc	na	na
Lead and Compounds	400 nc	400 nc	63	400


RESULTS

- Residential RML Exceedences (out of 82 samples):
 - Lead: 55
 - Antimony: 9
 - Arsenic: 9
 - Iron: 7
- Lead
 - Surface lead: >400 ppm in half the locations; max 980 ppm
 - Not expected to be immediate concern
 - *Depth*: lead prevalent in 1,000-2,000 range
 - *Max*: 8,300 ppm
- Most elevated detections found at 6-12"; many others at 12-24"




ELEMENTAL CORRELATION

 Strong lead-tin and lead-antimony relationships for "On-Site" and "Downwind" samples; correlates with wind rose (see Excel file). Correlation indicates that contaminants are attributable to historic on-site smelting facility.




ELEMENTAL CORRELATION


 S01, S02, S13, S14 did not exhibit strong lead-tin and lead-antimony relationships. Elevated lead levels do not appear to be attributable to Site; historic fill is suspected.



ELEMENTAL CORRELATION

• Historic fill – Shoreline, 1886 and ca. 1900





REMOVAL ELIGIBILITY

- Elevated lead levels in 8 locations on-site & downwind
 - **0-1"**: **500-980 ppm,** all locations except one (S02)
 - Also, NYC DPR data showed 999 and 1,600 ppm; remediated via hydroseed only
 - 1-6": 400-2,000 ppm, all locations
 - **6-12"**: **790-5,700** ppm, all locations
- Grass cover sparse in some locations; heavily used fields
- Bare soil in bleacher area
- Fields found to be unacceptable due to lack of maintenance in 2000, 2002, 2003, 2005
- Typical seeding protocol includes plug aeration, pulling contaminants to surface
- Popular food trucks present in park throughout warmer months
- High potential for sensitive populations to have direct contact with soil

REMOVAL ELIGIBILITY

Conclusion

- Results & correlation analysis indicate release of CERCLA-designated hazardous substances has occurred from historic on-site facility. Elevated lead, arsenic, antimony and iron levels in on-site & downwind represent imminent and substantial threat to human health or welfare.
- Extent of contamination must be further defined/delineated.



ROUND 2 SAMPLING – January 2015

Objectives

• Delineate area(s) with known Site-related contamination, for removal purposes

• Screen other fields within park to determine spatial extent of release



ROUND 2 SAMPLING – January 2015

Approach

- Handbook: Delineate on-site release with one composite sample per ¼-acre
 - Grid pattern for adequate coverage; additional samples in high-risk bleacher areas with bare soil
- Screen other fields with discrete sampling 2 locations per field
- Intervals: 0-1", 1-6", 6-12", 12-18", 18-24"
- GeoProbe to save time/personnel and increase consistency (depending on cost comparison)
- Data provided to NYC Parks Dept., City Law and NYC Health on Thursday 12/18/14, noting we'd like to complete additional sampling ASAP, with the potential need for a cleanup and the upcoming baseball season in mind
- See Google Earth for sampling plan

EPA Proposed Sampling Locations:

Red Hook Park/ Columbia Smelting & Refining Works Site

LEGEND

January 2015 Sampling Locations

- Composite Sample Location
- Discrete Sample Location

October 2014 Sampling Locations

- Background Sample Location
- Release Sample Location
- Site Sample Location
- Immediate Site Vicinity Sample Location
- Site Reference Location
- Approximate Footprint of the Former Smelter Facility
- Red Hook Park Border



NEXT STEPS


- Complete delineation of contamination that is attributable to Site
- Excavation to 12" as recommended by risk assessor & handbook
 - Visual barrier to demarcate contamination at 12" bgs
 - Deed Restriction recommended; need assurance that park will not be developed to include activity requiring unrestricted use (daycare, playground, residential, etc.)
 - NYC responsible for this
 - 6" excavation may be acceptable if Deed Restriction is placed on property
- Note: Site likely ineligible for NPL without Site-attributable contamination in NYCHA housing complex

CONSIDERATIONS


- Schedule:
 - January thru late winter: Discussions with NYC (access/permitting), Sampling
 - Spring: Additional delineation in fields, analysis of data, begin removal
 - Early April: Little league pre-season practice
 - Late April: Baseball season starts
 - June: Pool opens
- NYC Parks & Rec (property owner) may be PRP
 - ORC support needed (Praschak?)
- EJ Area
 - CIC needed (Loney?)

APPENDIX A


Gowanus Canal Area Historic Shoreline References (snips from images found online)



1766 (current shoreline in blue)













Ca. 1900





1866 vs. 1916 map w/ historic shoreline





APPENDIX B

Other Historic References – Hooverville Era












1930-1932 Hoover City/Hooverville on-site






Same area, another view









Same area, another view





Unknown Date, Hooverville on block to north of the pool





Same area, another view









